

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Uptown Swing Arm 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PL-52017 17"	3000K 90	BK Black	13W	1048	883	YES
	3000K 90	BN Brushed Nickel	13W	1048	883	YES

Example: **PL-52017-BK**

DESCRIPTION

Robust LED illumination. Preserve colors in artwork while delivering superior color rendering.

FEATURES


- Light source can be articulated
- Slim profile, contemporary design
- Driver conceals within the canopy
- Conversion plate for 4" J box included
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with acrylic diffuser




FINISHES



Black Brushed Nickel

LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Uptown Swing Arm 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PL-52025 25"	3000K 90	BK Black	16W	1326	926	YES
	3000K 90	BN Brushed Nickel	16W	1326	926	YES

Example: **PL-52025-BK**

DESCRIPTION

Robust LED illumination. Preserve colors in artwork while delivering superior color rendering.

FEATURES


- Light source can be articulated
- Slim profile, contemporary design
- Driver conceals within the canopy
- Conversion plate for 4" J box included
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with acrylic diffuser




FINISHES



Black Brushed Nickel

LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Uptown Swing Arm 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PL-52034 34"	3000K 90	BK Black	25W	1772	1329	YES
	3000K 90	BN Brushed Nickel	25W	1772	1329	YES

Example: **PL-52034-BK**

DESCRIPTION

Robust LED illumination. Preserve colors in artwork while delivering superior color rendering.

FEATURES


- Light source can be articulated
- Slim profile, contemporary design
- Driver conceals within the canopy
- Conversion plate for 4" J box included
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with acrylic diffuser



FINISHES



Black Brushed Nickel

LINE DRAWING

