

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## H Track

### Line Voltage Track Extension

Model & Size	Finish
H18 18"	BK Black
H24 24"	BN Brushed Nickel
H36 36"	DB Dark Bronze
H48 48"	WT White

Example: **H18-BK**

#### DESCRIPTION

120V Track systems are modular and can be designed for multiple applications in nearly any interior environment. H Track extensions are extension rods used to drop a line voltage fixture to a specified distance below the track surface. H track extensions may only work with H track systems and on Line Voltage fixtures.

#### FEATURES


- Extends H Track System line voltage track heads
- 5 year warranty

#### SPECIFICATIONS

**Input:** 120 VAC, 50/60Hz  
**Finish:** Electrostatically Powder Coated Black, Electroplated Brushed Nickel, Dark Bronze, White  
**Operating Temp:** -4°F to 104°F (-20°C to 40°C)  
**Standards:** UL, cUL, Dry Location Listed



#### FINISHES



# WAC LIGHTING

## H Track

### 120V Single Circuit Track Section

Model & Size	Finish
HT2 2'	BK Black
HT4 4'	BN Brushed Nickel
HT6 6'	DB Dark Bronze
HT8 8'	WT White

Example: **HT2-BK**

#### DESCRIPTION

120V Track systems are modular and can be designed for multiple applications in nearly any interior environment. Choose from hundreds of compatible track fixtures and pendants by WAC Lighting to install on track systems. Versatile yet sturdy, track systems can be surface mounted or suspended from ceilings, enabling the lighting design to adapt to changing styles and spaces. Track may be field cut to size and combine power connectors, accessories, and suspension options to build a complete system.

#### FEATURES


- May be field cut and easily installed on a variety of surfaces
- End caps and mounting hardware included
- Retrofits into many popular track systems on the market today
- 5 year warranty

#### SPECIFICATIONS

<b>Construction:</b>	Aluminum extrusion with copper bus wire
<b>Power:</b>	1920W
<b>Input:</b>	120 VAC, 50/60Hz
<b>Finish:</b>	Electrostatically Powder Coated White, Dark Bronze, Electroplated Brushed Nickel, Black
<b>Operating Temp:</b>	-4°F to 104°F (-20°C to 40°C)
<b>Standards:</b>	UL, cUL, Dry Location Listed




#### FINISHES



#### LINE DRAWING



H System Adapter



H Track System

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_