

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82919 19"	3000K 90	22W	120 VAC	1492	770	AL Brushed Aluminum

Example: **WS-82919-AL**

### DESCRIPTION


Aluminum body with co-extruded acrylic

### FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed



### FINISHES



Brushed  
Aluminum

### LINE DRAWING

19 1/8"



WS-82919

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82925 25"	3000K 90	29.7W	120 VAC	2071	1142	AL Brushed Aluminum

Example: **WS-82925-AL**

### DESCRIPTION

Aluminum body with co-extruded acrylic

### FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




### FINISHES



Brushed  
Aluminum

### LINE DRAWING



**WS-82925**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82937 37"	3000K 90	44.3W	120 VAC	3084	1746	AL Brushed Aluminum

Example: **WS-82937-AL**

### DESCRIPTION

Aluminum body with co-extruded acrylic

### FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




### FINISHES



Brushed  
Aluminum

### LINE DRAWING



**WS-82937**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82950 50"	3000K 90	59.4W	120 VAC	4130	2312	AL Brushed Aluminum

Example: **WS-82950-AL**

### DESCRIPTION

Aluminum body with co-extruded acrylic

### FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




### FINISHES



Brushed  
Aluminum

### LINE DRAWING



**WS-82950**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82962 62"	3000K 90	74.3W	120 VAC	5394	3074	AL Brushed Aluminum

Example: **WS-82962-AL**

### DESCRIPTION

Aluminum body with co-extruded acrylic

### FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




### FINISHES



Brushed  
Aluminum

### LINE DRAWING



**WS-82962**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82974 74"	3000K 90	88.6W	120 VAC	6168	3492	AL Brushed Aluminum

Example: **WS-82974-AL**

### DESCRIPTION

Aluminum body with co-extruded acrylic

### FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




### FINISHES



Brushed  
Aluminum

### LINE DRAWING



**WS-82974**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82998 98"	3000K 90	118.8W	120 VAC	8284	4568	AL Brushed Aluminum

Example: **WS-82998-AL**

### DESCRIPTION

Aluminum body with co-extruded acrylic

### FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed



### FINISHES



Brushed  
Aluminum

### LINE DRAWING



**WS-82998**